

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	721	Fourier and similarit\$3 same image\$1 and @ad<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:43
L2	6	L1 and multidimension\$5 near space and @ad<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:46
L3	108793	"707"/("5", "6", "102", 103R, "104").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:47
L4	2	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:47
L5	4	((("Fourier-Mellin" or "Fourier Mellin") same vector\$ and (images or (plurality near2 image)) and vector\$ and metric and @ad<"20011204")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:48
L6	2	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:49
L7	122	Fourier same similarit\$3 same image\$1 and @ad<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:49
L8	5	Fourier and similarit\$3 and intersection same union and @ad<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:50
L9	35	((("match descriptor" or "match descriptors") and @ad<"20011204") and stor\$3 and image\$1) and (ordering or order\$2 or arranging or arrange\$1)) and descriptor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:50
L10	2	"5465353".pn. and (images or (plurality near2 image)) and descriptor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:51
L11	6	("4646352" "4696046" "4775956" "4961139" "5197107" "5267332").PN.	USPAT	OR	ON	2007/10/18 12:51

EAST Search History

L12	35	((("match descriptor" or "match descriptors") and @ad<"20011204") and stor\$3 and image\$1) and (ordering or order\$2 or arranging or arrange\$1)) and descriptor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:51
L13	10676	schultz.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:52
L14	121	3 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:52
L15	0	11 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:52
L16	4	((("Fourier-Mellin" or "Fourier Mellin") same vector\$ and @ad<"20011204") and (images or (plurality near2 image)) and vector\$ and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:52
L17	14	(fourier\$ or FMT) and LSH and @ad<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:53
L18	54	("match image" or "match images") and descriptor\$ and @ad<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:53
L19	13	"similarity metric" and ("match descriptor" or "match descriptors" or "image descriptor" or "image descriptors") and @ad<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:53
L20	0	14 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:54
L21	53	((("707"/\$.cls. and match\$5 same vector\$1) and image\$1) and distance\$1) and similarity same metri\$4) and descriptor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:54
L22	27	3 and (((match\$5 same vector\$1) and image\$1) and distance\$1) and similarity same metri\$4) and descriptor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:55

EAST Search History

L23	2	"707"/\$.ccls. and match\$5 and distance\$1 and ("match descriptor" or "match descriptors") and metric and @ad<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:55
L24	1928	union! and intercept\$5 and @ad<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:55
L25	139	L24 and ("similarity metric" or "distance metric" or metric) and @ad<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 12:55



USPTO

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

similarity measure and ration and intersection and union



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used:

similarity measure and ration and intersection and union

Found 34,028 of 212,795

Sort results
by

relevance

 [Save results to a Binder](#)Display
results

expanded form

 [Search Tips](#)☐ Open results in a new windowTry an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [The theory of parsing, translation, and compiling](#)

Alfred V. Aho, Jeffrey D. Ullman

January 1972 Book

Publisher: Prentice-Hall, Inc.Full text available: [pdf\(98.28 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)**From volume 1 Preface (See Front Matter for full Preface)**

This book is intended for a one or two semester course in compiling theory at the senior or graduate level. It is a theoretically oriented treatment of a practical subject. Our motivation for making it so is threefold.

(1) In an area as rapidly changing as Computer Science, sound pedagogy demands that courses emphasize ideas, rather than implementation details. It is our hope that the algorithms and concepts present ...

2 [On modeling information retrieval with probabilistic inference](#)

S. K. M. Wong, Y. Y. Yao

January 1995 **ACM Transactions on Information Systems (TOIS)**, Volume 13 Issue 1**Publisher:** ACM PressFull text available: [pdf\(1.71 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This article examines and extends the logical models of information retrieval in the context of probability theory. The fundamental notions of term weights and relevance are given probabilistic interpretations. A unified framework is developed for modeling the retrieval process with probabilistic inference. This new approach provides a common conceptual and mathematical basis for many retrieval models, such as the Boolean, fuzzy set, vector space, and conventional probabilistic models. With ...

3 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research CASCON '97****Publisher:** IBM PressFull text available: [pdf\(4.21 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

4 Technical reports



SIGACT News Staff

January 1980 **ACM SIGACT News**, Volume 12 Issue 1

Publisher: ACM Press

Full text available: [pdf\(5.28 MB\)](#) Additional Information: [full citation](#)

5 Level set and PDE methods for computer graphics



David Breen, Ron Fedkiw, Ken Museth, Stanley Osher, Guillermo Sapiro, Ross Whitaker
August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available: [pdf\(17.07 MB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#)

Level set methods, an important class of partial differential equation (PDE) methods, define dynamic surfaces implicitly as the level set (iso-surface) of a sampled, evolving nD function. The course begins with preparatory material that introduces the concept of using partial differential equations to solve problems in computer graphics, geometric modeling and computer vision. This will include the structure and behavior of several different types of differential equations, e.g. the level set eq ...

6 Computational geometry: Qualitative polyline similarity testing with applications to query-by-sketch, indexing and classification



Bart Kuijpers, Bart Moelans, Nico Van de Weghe

November 2006 **Proceedings of the 14th annual ACM international symposium on Advances in geographic information systems GIS '06**

Publisher: ACM Press

Full text available: [pdf\(363.37 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present an algorithm for polyline (and polygon) similarity testing that is based on the double-cross formalism. To determine the degree of similarity between two polylines, the algorithm first computes their generalized polygons, that consist of almost equally long line segments and that approximate the length of the given polylines within an ϵ -error margin. Next, the algorithm determines the double-cross matrices of the generalized polylines and the difference between these matrix ...

Keywords: classification, double-cross calculus, indexing, polygons, polylines, qualitative calculi, query-by-sketch, similarity

7 Course 23: Geometric modeling based on polygonal meshes: Geometric modeling based on polygonal meshes



Video files associated with this course are available from the citation page

Mario Botsch, Mark Pauly, Leif Kobbelt, Pierre Alliez, Bruno Lévy, Stephan Bischoff, Christian Rössl

August 2007 **ACM SIGGRAPH 2007 courses SIGGRAPH '07**

Publisher: ACM Press

Full text available: [pdf\(44.53 MB\)](#) Additional Information: [full citation](#), [appendices and supplements](#)

[abstract](#), [references](#)

In the last years triangle meshes have become increasingly popular and are nowadays intensively used in many different areas of computer graphics and geometry processing. In classical CAGD irregular triangle meshes developed into a valuable alternative to traditional spline surfaces, since their conceptual simplicity allows for more flexible and highly efficient processing.

8 The Quadtree and Related Hierarchical Data Structures



Hanan Samet

June 1984 **ACM Computing Surveys (CSUR)**, Volume 16 Issue 2

Publisher: ACM Press

Full text available: [pdf\(4.87 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

9 Privacy-preserving payload-based correlation for accurate malicious traffic detection



Janak J. Parekh, Ke Wang, Salvatore J. Stolfo

September 2006 **Proceedings of the 2006 SIGCOMM workshop on Large-scale attack defense LSAD '06**

Publisher: ACM Press

Full text available: [pdf\(212.47 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

With the increased use of botnets and other techniques to obfuscate attackers' command-and-control centers, Distributed Intrusion Detection Systems (DIDS) that focus on attack source IP addresses or other header information can only portray a limited view of distributed scans and attacks. Packet payload sharing techniques hold far more promise, as they can convey exploit vectors and/or malware used upon successful exploit of a target system, irrespective of obfuscated source addresses. However, ...

Keywords: anomaly detection, distributed intrusion detection, payload correlation, privacy preservation, signature generation

10 Course 2: Mesh parameterization: theory and practice: Mesh parameterization: theory and practice



Video files associated with this course are available from the citation page

Kai Hormann, Bruno Lévy, Alla Sheffer

August 2007 **ACM SIGGRAPH 2007 courses SIGGRAPH '07**

Publisher: ACM Press

Full text available: [pdf\(36.88 MB\)](#) Additional Information: [full citation](#), [appendices and supplements](#), [abstract](#), [references](#)

Mesh parameterization is a powerful geometry processing tool with numerous computer graphics applications, from texture mapping to animation transfer. This course outlines its mathematical foundations, describes recent methods for parameterizing meshes over various domains, discusses emerging tools like global parameterization and inter-surface mapping, and demonstrates a variety of parameterization applications.


11 Voronoi diagrams—a survey of a fundamental geometric data structure



Franz Aurenhammer

September 1991 **ACM Computing Surveys (CSUR)**, Volume 23 Issue 3

Publisher: ACM Press

Full text available:  [pdf\(5.18 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: cell complex, clustering, combinatorial complexity, convex hull, crystal structure, divide-and-conquer, geometric data structure, growth model, higher dimensional embedding, hyperplane arrangement, k-set, motion planning, neighbor searching, object modeling, plane-sweep, proximity, randomized insertion, spanning tree, triangulation


12 [A survey of methods for recovering quadrics in triangle meshes](#)



Sylvain Petitjean

June 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(3.91 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In a variety of practical situations such as reverse engineering of boundary representation from depth maps of scanned objects, range data analysis, model-based recognition and algebraic surface design, there is a need to recover the shape of visible surfaces of a dense 3D point set. In particular, it is desirable to identify and fit simple surfaces of known type wherever these are in reasonable agreement with the data. We are interested in the class of quadric surfaces, that is, algebraic surfa ...

Keywords: Data fitting, geometry enhancement, local geometry estimation, mesh fairing, shape recovery

13 [Cryptography and data security](#)



Dorothy Elizabeth Robling Denning

January 1982 Book

Publisher: Addison-Wesley Longman Publishing Co., Inc.

Full text available:  [pdf\(19.47 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

From the Preface (See Front Matter for full Preface)

Electronic computers have evolved from exiguous experimental enterprises in the 1940s to prolific practical data processing systems in the 1980s. As we have come to rely on these systems to process and store data, we have also come to wonder about their ability to protect valuable data.

Data security is the science and study of methods of protecting data in computer and communication systems from unauthorized disclosure ...

14 [Streams, structures, spaces, scenarios, societies \(5s\): A formal model for digital libraries](#)



Marcos André Gonçalves, Edward A. Fox, Layne T. Watson, Neill A. Kipp

April 2004 **ACM Transactions on Information Systems (TOIS)**, Volume 22 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(316.85 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Digital libraries (DLs) are complex information systems and therefore demand formal foundations lest development efforts diverge and interoperability suffers. In this article,

we propose the fundamental abstractions of Streams, Structures, Spaces, Scenarios, and Societies (5S), which allow us to define digital libraries rigorously and usefully. Streams are sequences of arbitrary items used to describe both static and dynamic (e.g., video) content. Structures can be viewed as labeled directed gra ...

Keywords: applications., definitions, foundations, taxonomy

15 Qualitative decision theory: from savage's axioms to nonmonotonic reasoning



Didier Dubois, Hélène Fargier, Henri Prade, Patrice Perny

July 2002 **Journal of the ACM (JACM)**, Volume 49 Issue 4

Publisher: ACM Press

Full text available: pdf(354.26 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper investigates to what extent a purely symbolic approach to decision making under uncertainty is possible, in the scope of artificial intelligence. Contrary to classical approaches to decision theory, we try to rank acts without resorting to any numerical representation of utility or uncertainty, and without using any scale on which *both* uncertainty and preference could be mapped. Our approach is a variant of Savage's where the setting is finite, and the strict preference on acts ...

Keywords: Comparative uncertainty, decision theory, nonmonotonic reasoning, possibility theory, preference relations, qualitative decision theory

16 Generalized multidimensional data mapping and query processing



Rui Zhang, Panos Kalnis, Beng Chin Ooi, Kian-Lee Tan

September 2005 **ACM Transactions on Database Systems (TODS)**, Volume 30 Issue 3

Publisher: ACM Press

Full text available: pdf(689.08 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Multidimensional data points can be mapped to one-dimensional space to exploit single dimensional indexing structures such as the B⁺-tree. In this article we present a Generalized structure for data Mapping and query Processing (GiMP), which supports extensible mapping methods and query processing. GiMP can be easily customized to behave like many competent indexing mechanisms for multi-dimensional indexing, such as the UB-Tree, the Pyramid technique, the iMinMax, and the iDistan ...

Keywords: Indexing, data mapping, efficiency

17 Research sessions: potpourri: Mining database structure; or, how to build a data quality browser



Tamraparni Dasu, Theodore Johnson, S. Muthukrishnan, Vladislav Shkapenyuk

June 2002 **Proceedings of the 2002 ACM SIGMOD international conference on Management of data SIGMOD '02**

Publisher: ACM Press

Full text available: pdf(1.21 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Data mining research typically assumes that the data to be analyzed has been identified, gathered, cleaned, and processed into a convenient form. While data mining tools greatly enhance the ability of the analyst to make data-driven discoveries, most of the time spent in performing an analysis is spent in data identification, gathering, cleaning and processing the data. Similarly, schema mapping tools have been developed to help automate the task of using legacy or federated data sources for a n ...

18 Uniform generation in spatial constraint databases and applications (Extended abstract)



David Gross, Michel de Rougemont

May 2000 **Proceedings of the nineteenth ACM SIGMOD-SIGACT-SIGART symposium on Principles of database systems PODS '00**

Publisher: ACM Press

Full text available: pdf(205.43 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We study the efficient approximation of queries in linear constraint databases using sampling techniques. We define the notion of an almost uniform generator for a generalized relation and extend the classical generator of Dyer, Frieze and Kannan for convex sets to the union and the projection of relations. For the intersection and the difference, we give sufficient conditions for the existence of such generators. We show how such generators give relative estimations of the volume and appro ...

19 Course 13: A gentle introduction to bilateral filtering and its applications: A gentle introduction to bilateral filtering and its applications



Sylvain Paris

August 2007 **ACM SIGGRAPH 2007 courses SIGGRAPH '07**

Publisher: ACM Press

Full text available: pdf(27.35 MB)

mov(100:20 MIN)

Additional Information: [full citation](#), [abstract](#)

- Image-based modeling and photo editing *Oh et al.* ACM SIGGRAPH conference (c) 2001, Association for Computing Machinery, Inc. Reprinted by permission. <http://doi.acm.org/10.1145/383259.383310>

- Fast bilateral filtering for the display of high-dynamic-range images *Durand and Dorsey* ACM SIGGRAPH conference (c) 2002, Association for Computing Machinery, Inc. Reprinted by permission. <http://doi.acm.org/10.1145/566570.566574>

- Bilateral mesh denoising *Fleishman et a ...*

20 Geographic Data Processing



George Nagy, Sharad Wagle

June 1979 **ACM Computing Surveys (CSUR)**, Volume 11 Issue 2

Publisher: ACM Press

Full text available: pdf(4.20 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



USPTO

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

similarity measure and ration and intersection and union

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used:

similarity measure and ration and intersection and union

Found 34,028 of 212,795

Sort results
by

relevance

Display
results

expanded form

[Save results to a Binder](#)[Search Tips](#)☐ Open results in a new windowTry an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1 [The theory of parsing, translation, and compiling](#)**Alfred V. Aho, Jeffrey D. Ullman
January 1972 Book**Publisher:** Prentice-Hall, Inc.Full text available: [pdf\(98.28 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)**From volume 1 Preface (See Front Matter for full Preface)**

This book is intended for a one or two semester course in compiling theory at the senior or graduate level. It is a theoretically oriented treatment of a practical subject. Our motivation for making it so is threefold.

(1) In an area as rapidly changing as Computer Science, sound pedagogy demands that courses emphasize ideas, rather than implementation details. It is our hope that the algorithms and concepts presen ...

2 [On modeling information retrieval with probabilistic inference](#)

S. K. M. Wong, Y. Y. Yao

January 1995 **ACM Transactions on Information Systems (TOIS)**, Volume 13 Issue 1**Publisher:** ACM PressFull text available: [pdf\(1.71 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This article examines and extends the logical models of information retrieval in the context of probability theory. The fundamental notions of term weights and relevance are given probabilistic interpretations. A unified framework is developed for modeling the retrieval process with probabilistic inference. This new approach provides a common conceptual and mathematical basis for many retrieval models, such as the Boolean, fuzzy set, vector space, and conventional probabilistic models. With ...

3 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research CASCON '97****Publisher:** IBM PressFull text available: [pdf\(4.21 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

4 Technical reports



SIGACT News Staff

January 1980 **ACM SIGACT News**, Volume 12 Issue 1

Publisher: ACM Press

Full text available: [pdf\(5.28 MB\)](#) Additional Information: [full citation](#)

5 Level set and PDE methods for computer graphics



David Breen, Ron Fedkiw, Ken Museth, Stanley Osher, Guillermo Sapiro, Ross Whitaker
August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available: [pdf\(17.07 MB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#)

Level set methods, an important class of partial differential equation (PDE) methods, define dynamic surfaces implicitly as the level set (iso-surface) of a sampled, evolving nD function. The course begins with preparatory material that introduces the concept of using partial differential equations to solve problems in computer graphics, geometric modeling and computer vision. This will include the structure and behavior of several different types of differential equations, e.g. the level set eq ...

6 Computational geometry: Qualitative polyline similarity testing with applications to query-by-sketch, indexing and classification



Bart Kuijpers, Bart Moelans, Nico Van de Weghe

November 2006 **Proceedings of the 14th annual ACM international symposium on Advances in geographic information systems GIS '06**

Publisher: ACM Press

Full text available: [pdf\(363.37 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present an algorithm for polyline (and polygon) similarity testing that is based on the double-cross formalism. To determine the degree of similarity between two polylines, the algorithm first computes their generalized polygons, that consist of almost equally long line segments and that approximate the length of the given polylines within an ϵ -error margin. Next, the algorithm determines the double-cross matrices of the generalized polylines and the difference between these matrix ...

Keywords: classification, double-cross calculus, indexing, polygons, polylines, qualitative calculi, query-by-sketch, similarity

7 Course 23: Geometric modeling based on polygonal meshes: Geometric modeling based on polygonal meshes



Video files associated with this course are available from the citation page

Mario Botsch, Mark Pauly, Leif Kobbelt, Pierre Alliez, Bruno Lévy, Stephan Bischoff, Christian Rössl

August 2007 **ACM SIGGRAPH 2007 courses SIGGRAPH '07**

Publisher: ACM Press

Full text available: [pdf\(44.53 MB\)](#) Additional Information: [full citation](#), [appendices and supplements](#),

[abstract](#), [references](#)

In the last years triangle meshes have become increasingly popular and are nowadays intensively used in many different areas of computer graphics and geometry processing. In classical CAGD irregular triangle meshes developed into a valuable alternative to traditional spline surfaces, since their conceptual simplicity allows for more flexible and highly efficient processing.

8 [The Quadtree and Related Hierarchical Data Structures](#)



Hanan Samet

June 1984 **ACM Computing Surveys (CSUR)**, Volume 16 Issue 2**Publisher:** ACM PressFull text available: [pdf\(4.87 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

9 [Privacy-preserving payload-based correlation for accurate malicious traffic detection](#)



Janak J. Parekh, Ke Wang, Salvatore J. Stolfo

September 2006 **Proceedings of the 2006 SIGCOMM workshop on Large-scale attack defense LSAD '06****Publisher:** ACM PressFull text available: [pdf\(212.47 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

With the increased use of botnets and other techniques to obfuscate attackers' command-and-control centers, Distributed Intrusion Detection Systems (DIDS) that focus on attack source IP addresses or other header information can only portray a limited view of distributed scans and attacks. Packet payload sharing techniques hold far more promise, as they can convey exploit vectors and/or malware used upon successful exploit of a target system, irrespective of obfuscated source addresses. However, ...

Keywords: anomaly detection, distributed intrusion detection, payload correlation, privacy preservation, signature generation

10 [Course 2: Mesh parameterization: theory and practice: Mesh parameterization: theory and practice](#)

**Video files associated with this course are available from the citation page**

Kai Hormann, Bruno Lévy, Alla Sheffer

August 2007 **ACM SIGGRAPH 2007 courses SIGGRAPH '07****Publisher:** ACM PressFull text available: [pdf\(36.88 MB\)](#) Additional Information: [full citation](#), [appendices and supplements](#), [abstract](#), [references](#)

Mesh parameterization is a powerful geometry processing tool with numerous computer graphics applications, from texture mapping to animation transfer. This course outlines its mathematical foundations, describes recent methods for parameterizing meshes over various domains, discusses emerging tools like global parameterization and inter-surface mapping, and demonstrates a variety of parameterization applications.

11 [Voronoi diagrams—a survey of a fundamental geometric data structure](#)



Franz Aurenhammer

September 1991 **ACM Computing Surveys (CSUR)**, Volume 23 Issue 3

Publisher: ACM Press

Full text available:  [pdf\(5.18 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: cell complex, clustering, combinatorial complexity, convex hull, crystal structure, divide-and-conquer, geometric data structure, growth model, higher dimensional embedding, hyperplane arrangement, k-set, motion planning, neighbor searching, object modeling, plane-sweep, proximity, randomized insertion, spanning tree, triangulation


12 A survey of methods for recovering quadrics in triangle meshes



Sylvain Petitjean

June 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(3.91 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In a variety of practical situations such as reverse engineering of boundary representation from depth maps of scanned objects, range data analysis, model-based recognition and algebraic surface design, there is a need to recover the shape of visible surfaces of a dense 3D point set. In particular, it is desirable to identify and fit simple surfaces of known type wherever these are in reasonable agreement with the data. We are interested in the class of quadric surfaces, that is, algebraic surfa ...

Keywords: Data fitting, geometry enhancement, local geometry estimation, mesh fairing, shape recovery

13 Cryptography and data security

Dorothy Elizabeth Robling Denning

January 1982 Book

Publisher: Addison-Wesley Longman Publishing Co., Inc.

Full text available:  [pdf\(19.47 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

From the Preface (See Front Matter for full Preface)

Electronic computers have evolved from exiguous experimental enterprises in the 1940s to prolific practical data processing systems in the 1980s. As we have come to rely on these systems to process and store data, we have also come to wonder about their ability to protect valuable data.

Data security is the science and study of methods of protecting data in computer and communication systems from unauthorized disclosure ...

14 Streams, structures, spaces, scenarios, societies (5s): A formal model for digital libraries



Marcos André Gonçalves, Edward A. Fox, Layne T. Watson, Neill A. Kipp

April 2004 **ACM Transactions on Information Systems (TOIS)**, Volume 22 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(316.85 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Digital libraries (DLs) are complex information systems and therefore demand formal foundations lest development efforts diverge and interoperability suffers. In this article,

we propose the fundamental abstractions of Streams, Structures, Spaces, Scenarios, and Societies (5S), which allow us to define digital libraries rigorously and usefully. Streams are sequences of arbitrary items used to describe both static and dynamic (e.g., video) content. Structures can be viewed as labeled directed gra ...

Keywords: applications., definitions, foundations, taxonomy

15 Qualitative decision theory: from savage's axioms to nonmonotonic reasoning



Didier Dubois, Hélène Fargier, Henri Prade, Patrice Perny
July 2002 **Journal of the ACM (JACM)**, Volume 49 Issue 4

Publisher: ACM Press

Full text available: pdf(354.26 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

This paper investigates to what extent a purely symbolic approach to decision making under uncertainty is possible, in the scope of artificial intelligence. Contrary to classical approaches to decision theory, we try to rank acts without resorting to any numerical representation of utility or uncertainty, and without using any scale on which *both* uncertainty and preference could be mapped. Our approach is a variant of Savage's where the setting is finite, and the strict preference on acts ...

Keywords: Comparative uncertainty, decision theory, nonmonotonic reasoning, possibility theory, preference relations, qualitative decision theory

16 Generalized multidimensional data mapping and query processing



Rui Zhang, Panos Kalnis, Beng Chin Ooi, Kian-Lee Tan
September 2005 **ACM Transactions on Database Systems (TODS)**, Volume 30 Issue 3

Publisher: ACM Press

Full text available: pdf(689.08 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Multidimensional data points can be mapped to one-dimensional space to exploit single dimensional indexing structures such as the B⁺-tree. In this article we present a Generalized structure for data Mapping and query Processing (GiMP), which supports extensible mapping methods and query processing. GiMP can be easily customized to behave like many competent indexing mechanisms for multi-dimensional indexing, such as the UB-Tree, the Pyramid technique, the iMinMax, and the iDistan ...

Keywords: Indexing, data mapping, efficiency

17 Research sessions: potpourri: Mining database structure; or, how to build a data quality browser



Tamraparni Dasu, Theodore Johnson, S. Muthukrishnan, Vladislav Shkapenyuk
June 2002 **Proceedings of the 2002 ACM SIGMOD international conference on Management of data SIGMOD '02**

Publisher: ACM Press

Full text available: pdf(1.21 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

Data mining research typically assumes that the data to be analyzed has been identified, gathered, cleaned, and processed into a convenient form. While data mining tools greatly enhance the ability of the analyst to make data-driven discoveries, most of the time spent in performing an analysis is spent in data identification, gathering, cleaning and processing the data. Similarly, schema mapping tools have been developed to help automate the task of using legacy or federated data sources for a n ...

18 Uniform generation in spatial constraint databases and applications (Extended abstract)



David Gross, Michel de Rougemont

May 2000 **Proceedings of the nineteenth ACM SIGMOD-SIGACT-SIGART symposium on Principles of database systems PODS '00**

Publisher: ACM Press

Full text available: pdf(205.43 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We study the efficient approximation of queries in linear constraint databases using sampling techniques. We define the notion of an almost uniform generator for a generalized relation and extend the classical generator of Dyer, Frieze and Kannan for convex sets to the union and the projection of relations. For the intersection and the difference, we give sufficient conditions for the existence of such generators. We show how such generators give relative estimations of the volume and appro ...

19 Course 13: A gentle introduction to bilateral filtering and its applications: A gentle introduction to bilateral filtering and its applications



Sylvain Paris

August 2007 **ACM SIGGRAPH 2007 courses SIGGRAPH '07**

Publisher: ACM Press

Full text available: pdf(27.35 MB)

mov(100:20 MIN)

Additional Information: [full citation](#), [abstract](#)

- Image-based modeling and photo editing *Oh et al.* ACM SIGGRAPH conference (c) 2001, Association for Computing Machinery, Inc. Reprinted by permission.
<http://doi.acm.org/10.1145/383259.383310>

- Fast bilateral filtering for the display of high-dynamic-range images *Durand and Dorsey* ACM SIGGRAPH conference (c) 2002, Association for Computing Machinery, Inc. Reprinted by permission. <http://doi.acm.org/10.1145/566570.566574>

- Bilateral mesh denoising *Fleishman et a ...*

20 Geographic Data Processing



George Nagy, Sharad Wagle

June 1979 **ACM Computing Surveys (CSUR)**, Volume 11 Issue 2

Publisher: ACM Press

Full text available: pdf(4.20 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) |

Welcome United States Patent and Trademark Office

☐ Guest Search Results
[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(fourier mellin) <in> metadata"

☒ e-mailYour search matched **51** of **1675827** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

Article Information

View: 1-

Login

Username

Password

» [Forgot your password?](#)

Please remember to log out
when you have finished your
session.

» Key



Indicates full text access

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

1. **Fast registration of tabular document images using the Fourier-Mellin transform**
Hutchison, L.A.D.; Barrett, W.A.;
[Document Image Analysis for Libraries, 2004. Proceedings. First International Workshop 2004](#) Page(s):253 - 267
Digital Object Identifier 10.1109/DIAL.2004.1263254
[Abstract](#) | [Full Text: PDF\(2461 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
2. **The theoretical prediction, interpretation and computation of the Fourier-Mellin transform applied to sonar classification of ships**
Lee, J.S.; Burke, M.J.; Hammond, J.K.;
[Acoustics, Speech, and Signal Processing, 1990. ICASSP-90., 1990 International Conference 3-6 April 1990](#) Page(s):2735 - 2738 vol.5
Digital Object Identifier 10.1109/ICASSP.1990.116191
[Abstract](#) | [Full Text: PDF\(228 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
3. **Symmetric phase-only matched filtering of Fourier-Mellin transforms for image recognition**
Qin-Sheng Chen; Defrise, M.; Deconinck, F.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on Volume 16, Issue 12, Dec. 1994](#) Page(s):1156 - 1168
Digital Object Identifier 10.1109/34.387491
[Abstract](#) | [Full Text: PDF\(1624 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
4. **Visual Vehicle Egomotion Estimation using the Fourier-Mellin Transform**
Goecke, Roland; Asthana, Akshay; Pettersson, Niklas; Petersson, Lars;
[Intelligent Vehicles Symposium, 2007 IEEE 13-15 June 2007](#) Page(s):450 - 455
Digital Object Identifier 10.1109/IVS.2007.4290156
[Abstract](#) | [Full Text: PDF\(716 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
5. **Fingerprint Matching Using Phase-Only Correlation and Fourier-Mellin Transform**
Jianxin Zhang; Zongying Ou; Honglei Wei;
[Intelligent Systems Design and Applications, 2006. ISDA '06. Sixth International Conference Volume 2, Oct. 2006](#) Page(s):379 - 383
Digital Object Identifier 10.1109/ISDA.2006.253866
[Abstract](#) | [Full Text: PDF\(341 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
6. **An integrated framework for image classification**
Xuling Luo; Mirchandani, G.;
[Acoustics, Speech, and Signal Processing, 2000. ICASSP '00. Proceedings. 2000 IEEE](#)

[Conference on](#)

Volume 1, 5-9 June 2000 Page(s):620 - 623 vol.1

Digital Object Identifier 10.1109/ICASSP.2000.862058

[Abstract](#) | [Full Text: PDF\(384 KB\)](#) [IEEE CNF](#)

[Rights and Permissions](#)

7. Fast spectral algorithms of invariants calculation

Labunets, E.; Labunets, V.; Egiazarian, K.; Astola, J.;

[Image Analysis and Processing, 1999. Proceedings. International Conference on](#)
27-29 Sept. 1999 Page(s):203 - 208

Digital Object Identifier 10.1109/ICIAP.1999.797595

[Abstract](#) | [Full Text: PDF\(160 KB\)](#) [IEEE CNF](#)

[Rights and Permissions](#)

8. Fast numerically stable computation of orthogonal Fourier-Mellin moments

Papakostas, G.A.; Boutalis, Y.S.; Karras, D.A.; Mertzios, B.G.;

[Computer Vision, IET](#)

Volume 1, Issue 1, March 2007 Page(s):11 - 16

Digital Object Identifier 10.1049/iet-cvi:20060130

[Abstract](#) | [Full Text: PDF\(304 KB\)](#) [IET JNL](#)

9. Registration algorithm based on image matching for outdoor AR system with fix position

Lin, L.; Liu, Y.; Zheng, W.; Wang, Y.;

[Vision, Image and Signal Processing, IEE Proceedings-](#)

Volume 153, Issue 1, 9 Feb. 2006 Page(s):57 - 62

Digital Object Identifier 10.1049/ip-vis:20045181

[Abstract](#) | [Full Text: PDF\(255 KB\)](#) [IET JNL](#)

10. Fingerprint Matching With Rotation-Descriptor Texture Features

Zhengyu Ouyang; Jianjiang Feng; Fei Su; Anni Cai;

[Pattern Recognition, 2006. ICPR 2006. 18th International Conference on](#)

Volume 4, 0-0 0 Page(s):417 - 420

Digital Object Identifier 10.1109/ICPR.2006.572

[Abstract](#) | [Full Text: PDF\(390 KB\)](#) [IEEE CNF](#)

[Rights and Permissions](#)

11. An application of Fourier-Mellin transform in image registration

Xiaoxin Guo; Zhiwen Xu; Yinan Lu; Yunjie Pang;

[Computer and Information Technology, 2005. CIT 2005. The Fifth International Confer](#)
21-23 Sept. 2005 Page(s):619 - 623

Digital Object Identifier 10.1109/CIT.2005.62

[Abstract](#) | [Full Text: PDF\(232 KB\)](#) [IEEE CNF](#)

[Rights and Permissions](#)

12. Interferometric SAR image coregistration based on the Fourier-Mellin invariant c

Abdelfattah, R.; Nicolas, J.M.; Tupin, F.;

[Geoscience and Remote Sensing Symposium, 2002. IGARSS '02. 2002 IEEE Internat](#)
Volume 3, 24-28 June 2002 Page(s):1334 - 1336 vol.3

[Abstract](#) | [Full Text: PDF\(499 KB\)](#) [IEEE CNF](#)

[Rights and Permissions](#)

13. Recognition of digital annotation with invariant HONN based on orthogonal Fourier moments

Jin-Peng Wang; Yi Sun; Qiang Chen;

[Machine Learning and Cybernetics, 2003 International Conference on](#)

Volume 4, 2-5 Nov. 2003 Page(s):2261 - 2264 Vol.4
Digital Object Identifier 10.1109/ICMLC.2003.1259883

[Abstract](#) | [Full Text: PDF\(310 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

14. Invariant descriptor of Fourier-Mellin for indexing by contents a database of three images

Jiao, S.H.; Goutte, R.;
[Signal Processing, 2002 6th International Conference on](#)
Volume 1, 26-30 Aug. 2002 Page(s):858 - 860 vol.1
Digital Object Identifier 10.1109/ICOSP.2002.1181191

[Abstract](#) | [Full Text: PDF\(237 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

15. Invariant object recognition with discriminant features based on local fast-Fourier transform

Gotze, N.; Drue, S.; Hartmann, G.;
[Pattern Recognition, 2000. Proceedings. 15th International Conference on](#)
Volume 1, 3-7 Sept. 2000 Page(s):948 - 951 vol.1
Digital Object Identifier 10.1109/ICPR.2000.905607

[Abstract](#) | [Full Text: PDF\(468 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

16. Invariant neural-network based face detection with orthogonal Fourier-Mellin moments

Terrillon, J.-C.; McReynolds, D.; Sadek, M.; Sheng, Y.; Akamatsu, S.;
[Pattern Recognition, 2000. Proceedings. 15th International Conference on](#)
Volume 2, 3-7 Sept 2000 Page(s):993 - 1000 vol.2
Digital Object Identifier 10.1109/ICPR.2000.906242

[Abstract](#) | [Full Text: PDF\(680 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

17. Invariant content-based image retrieval using a complete set of Fourier-Mellin moments

Derrode, S.; Daoudi, M.; Ghorbel, F.;
[Multimedia Computing and Systems, 1999. IEEE International Conference on](#)
Volume 2, 7-11 June 1999 Page(s):877 - 881 vol.2
Digital Object Identifier 10.1109/MMCS.1999.778603

[Abstract](#) | [Full Text: PDF\(412 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

18. Detection of human faces in complex scene images by use of a skin color model and Fourier-Mellin moments

Terrillon, J.-C.; David, M.; Akamatsu, S.;
[Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on](#)
Volume 2, 16-20 Aug. 1998 Page(s):1350 - 1355 vol.2
Digital Object Identifier 10.1109/ICPR.1998.711952

[Abstract](#) | [Full Text: PDF\(476 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

19. Classification of rotated and scaled textures using HMMV spectrum estimation and Fourier-Mellin transform

Alata, O.; Cariou, C.; Ramananjarasoa, C.; Najim, M.;
[Image Processing, 1998. ICIP 98. Proceedings. 1998 International Conference on](#)
Volume 1, 4-7 Oct. 1998 Page(s):53 - 56 vol.1
Digital Object Identifier 10.1109/ICIP.1998.723414

[Abstract](#) | [Full Text: PDF\(696 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

20. 2-D object recognition using Fourier Mellin transform and a MLP network

Raman, S.P.; Desai, U.B.;
[Neural Networks, 1995. Proceedings., IEEE International Conference on](#)
Volume 4, 27 Nov.-1 Dec. 1995 Page(s):2154 - 2156 vol.4
Digital Object Identifier 10.1109/ICNN.1995.489012

[Abstract](#) | [Full Text: PDF\(232 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

21. New optical transforms for pattern recognition

Casasent, D.; Psaltis, D.;
[Proceedings of the IEEE](#)
Volume 65, [Issue 1](#), Jan. 1977 Page(s):77 - 84

[Abstract](#) | [Full Text: PDF\(1033 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

22. EyeCerts

Schonberg, D.; Kirovski, D.;
[Information Forensics and Security, IEEE Transactions on](#)
Volume 1, [Issue 2](#), June 2006 Page(s):144 - 153
Digital Object Identifier 10.1109/TIFS.2006.873604

[Abstract](#) | [Full Text: PDF\(2120 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

23. Biometric hash: high-confidence face recognition

Ngo, D.C.L.; Teoh, A.B.J.; Goh, A.;
[Circuits and Systems for Video Technology, IEEE Transactions on](#)
Volume 16, [Issue 6](#), June 2006 Page(s):771 - 775
Digital Object Identifier 10.1109/TCSVT.2006.873780

[Abstract](#) | [Full Text: PDF\(280 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

24. Image registration using log-polar mappings for recovery of large-scale similar transformations

Zokai, S.; Wolberg, G.;
[Image Processing, IEEE Transactions on](#)
Volume 14, [Issue 10](#), Oct. 2005 Page(s):1422 - 1434
Digital Object Identifier 10.1109/TIP.2005.854501

[Abstract](#) | [Full Text: PDF\(2360 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

25. Image Content-based Watermarking Resistant against Geometrical Distortions

Yuan, W.G.; Ling, H.F.; Lu, Z.D.; Zou, F.H.; Yu, Y.W.;
[Signal Processing, The 8th International Conference on](#)
Volume 4, 16-20 2006
Digital Object Identifier 10.1109/ICOSP.2006.345981

[Abstract](#) | [Full Text: PDF\(266 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

View: [1-25](#) | [26-50](#) | [51-51](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) |

Welcome United States Patent and Trademark Office

☐ Guest Search Results
[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(fourier mellin and descriptor) <in> metadata"

☒ e-mail

Your search matched 8 of 1675827 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Login

Username

Password

[» Forgot your password?](#)

Please remember to log out
when you have finished your
session.

» Key

Indicates full text access

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Article Information**1. Symmetric phase-only matched filtering of Fourier-Mellin transforms for image recognition**

Qin-Sheng Chen; Defrise, M.; Deconinck, F.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 16, Issue 12, Dec. 1994 Page(s):1156 - 1168
Digital Object Identifier 10.1109/34.387491

[Abstract](#) | [Full Text: PDF\(1624 KB\)](#) IEEE JNL[Rights and Permissions](#)**2. Fingerprint Matching With Rotation-Descriptor Texture Features**

Zhengyu Ouyang; Jianjiang Feng; Fei Su; Anni Cai;
[Pattern Recognition, 2006. ICPR 2006. 18th International Conference on](#)
Volume 4, 0-0 0 Page(s):417 - 420
Digital Object Identifier 10.1109/ICPR.2006.572

[Abstract](#) | [Full Text: PDF\(390 KB\)](#) IEEE CNF[Rights and Permissions](#)**3. Interferometric SAR image coregistration based on the Fourier-Mellin invariant c**

Abdelfattah, R.; Nicolas, J.M.; Tupin, F.;
[Geoscience and Remote Sensing Symposium, 2002. IGARSS '02. 2002 IEEE Internal](#)
Volume 3, 24-28 June 2002 Page(s):1334 - 1336 vol.3

[Abstract](#) | [Full Text: PDF\(499 KB\)](#) IEEE CNF[Rights and Permissions](#)**4. Invariant descriptor of Fourier-Mellin for indexing by contents a database of three images**

Jiao, S.H.; Goutte, R.;
[Signal Processing, 2002 6th International Conference on](#)
Volume 1, 26-30 Aug. 2002 Page(s):858 - 860 vol.1
Digital Object Identifier 10.1109/ICOSP.2002.1181191

[Abstract](#) | [Full Text: PDF\(237 KB\)](#) IEEE CNF[Rights and Permissions](#)**5. Invariant content-based image retrieval using a complete set of Fourier-Mellin d**

Derrode, S.; Daoudi, M.; Ghorbel, F.;
[Multimedia Computing and Systems, 1999. IEEE International Conference on](#)
Volume 2, 7-11 June 1999 Page(s):877 - 881 vol.2
Digital Object Identifier 10.1109/MMCS.1999.778603

[Abstract](#) | [Full Text: PDF\(412 KB\)](#) IEEE CNF[Rights and Permissions](#)**6. Comparison of invariant descriptors for object recognition**

Choksuriwong, A.; Laurent, H.; Emile, B.;
[Image Processing, 2005. ICIP 2005. IEEE International Conference on](#)
Volume 1, 11-14 Sept. 2005 Page(s):1 - 377-80

Digital Object Identifier 10.1109/ICIP.2005.1529766

[Abstract](#) | [Full Text: PDF\(312 KB\)](#) [IEEE CNF](#)

[Rights and Permissions](#)

7. Classification of rotated and scaled textures using HMMV spectrum estimation a Mellin transform

Alata, O.; Cariou, C.; Ramananjarasoa, C.; Najim, M.;

[Image Processing, 1998. ICIP 98. Proceedings. 1998 International Conference on](#)

Volume 1, 4-7 Oct. 1998 Page(s):53 - 56 vol.1

Digital Object Identifier 10.1109/ICIP.1998.723414

[Abstract](#) | [Full Text: PDF\(696 KB\)](#) [IEEE CNF](#)

[Rights and Permissions](#)

8. Invariant object recognition with discriminant features based on local fast-Fourier transform

Gotze, N.; Drue, S.; Hartmann, G.;

[Pattern Recognition, 2000. Proceedings. 15th International Conference on](#)

Volume 1, 3-7 Sept. 2000 Page(s):948 - 951 vol.1

Digital Object Identifier 10.1109/ICPR.2000.905607

[Abstract](#) | [Full Text: PDF\(468 KB\)](#) [IEEE CNF](#)

[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

similarity measure and ration and intersection

[Advanced Search](#)
[Preferences](#)

The "**AND**" operator is unnecessary -- we include all search terms by default. ([details](#))

Web Results 1 - 10 of about **206,000** for **similarity measure and ration and intersection and union**. (0.33 sec)

Did you mean: [similarity measure and *ratio* and intersection and union](#)

[European Journal of Operational Research : Transitivity-preserving ...](#)

On the one hand, the term '**similarity measure**' is often used in a rather loose and maximum operator as a pair of fuzzy set **intersection and union** [16]. ...

[linkinghub.elsevier.com/retrieve/pii/S0377221703006672](#) - [Similar pages](#)

[Meta-theorems on inequalities for scalar fuzzy set cardinalities](#)

in which **intersection and union** are still modelled by min and max. fuzzy **similarity measure** is reserved for a (binary) fuzzy relation on $F(X) = [0, ...$

[linkinghub.elsevier.com/retrieve/pii/S016501140600008X](#) - [Similar pages](#)

[[More results from linkinghub.elsevier.com](#)]

[The fuzzy **similarity measures** for content-based image retrieval ...](#)

union and intersection. Most of the. proposed **measures** are inspired from the work by Tversk [9]. who proposes two parametric **similarity measures** between ...

[ieeexplore.ieee.org/iel5/8907/28160/01260136.pdf](#) - [Similar pages](#)

[Efficient video **similarity measurement** and search - Image ...](#)

The degree of meta-**similarity**. is defined as the ratio between the size of the **intersection** and the. **union** of the two meta-data sets. ...

[ieeexplore.ieee.org/iel5/7221/19490/00900898.pdf](#) - [Similar pages](#)

[[More results from ieeexplore.ieee.org](#)]

[doc] [ACOS Objectives/Content](#)

File Format: Microsoft Word - [View as HTML](#)

1f) Demonstrate computational fluency with operations on **rational** numbers. ... 1d) Use vocabulary associated with sets including **intersection and union** ...

[www.trussvillecityschools.com/HTMS/HTMS%20Curriculum%20Maps/8th%20Grade%20Pre-Algebra.doc](#) - [Similar pages](#)

[PDF] [Determining Molecular **Similarity** for Drug Discovery using the ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

of subsets, and the **intersection** or **union** of any finite new **similarity measure** based on tree matching, J. Comp.-. Aided Mol. Design (Vol. ...

[tintin.sfsu.edu/pub/Main/MolecularQueryGroup/BIBE2006.pdf](#) - [Similar pages](#)

Grades 6-8

Demonstrate understanding of **rational** numbers and of the relationship of diagram to illustrate **intersection and union** information to determine specific ...

[www.morganparkacademy.org/morganpark.aspx?pgID=1393](#) - 56k -

[Cached](#) - [Similar pages](#)

[Level 5 | Mathematics | Discipline-based Learning | P-10 ...](#)

It also specifies standards for Number, Space, Structure, **Measurement**, ... some and all and set operations of complement, **intersection and union**, ...

[vels.vcaa.vic.edu.au/essential/discipline/mathematics/level5.html](#) - 39k -

[Cached](#) - [Similar pages](#)

Level 6 | Mathematics | Discipline-based Learning | P-10 ...

It also specifies standards for Number, Space, Structure, **Measurement**, chance and data ... the set operations complement, **intersection**, **union** and inclusion. ...
vels.vcaa.vic.edu.au/essential/discipline/mathematics/level6.html - 39k -
[Cached](#) - [Similar pages](#)

CIC Manipur : High School

Rational expressions; **Rational** expressions in lowest term; **Measure** of central tendency (**measures** of Locations); The weighted Arithmetic Mean; ...
cicmanipur.nic.in/html/c_syll_math.asp - 29k - [Cached](#) - [Similar pages](#)

Did you mean to search for: similarity measure and **ratio** and intersection and union

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

similarity measure and ration and int

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)

Fourier Mellin or Fourier Mellin and descriptor

[Advanced Search](#)
[Preferences](#)Try uppercase "**OR**" to search for either of two terms. [[details](#)]The "**AND**" operator is unnecessary -- we include all search terms by default. [[details](#)]

Web Results 1 - 10 of about **135,000** for **Fourier Mellin or Fourier Mellin and descriptor and similarity**. (0.46)

Object Recognition using **Fourier-Mellin** invariant **descriptors**

The regions around the interest points are then described in a **similarity** transform invariant manner using **Fourier-Mellin** invariant (FMI) **descriptors** [34], ...

privatewww.essex.ac.uk/~ranewc/research/FMI**descriptor**Recognition.html - 11k -

[Cached](#) - [Similar pages](#)

COMPLETE INVARIANT DESCRIPTION UNDER USUAL **FOURIER- MELLIN** TRANSFORM

ABSTRACT. In this paper, we develop a complete set of **similarity** invariant **descriptors** under the usual **Fourier-Mellin** transform framework. ...

ieeexplore.ieee.org/iel5/10550/33398/01581063.pdf?isnumber=&arnumber=1581063 -

[Similar pages](#)

OCRed document

The invariant **descriptor** of **Fourier-Mellin** belongs to ... invariant **Fourier-Mellin descriptor**. ... **similar** to the relation between **Fourier** transform and ...

ieeexplore.ieee.org/iel5/8405/26512/01181191.pdf?arnumber=1181191 - [Similar pages](#)

[[More results from ieeexplore.ieee.org](#)]

Keith Price Bibliography Matching Using Moments

Operations Useful for **Similarity**-Invariant Pattern Recognition, A Comparison Between **Fourier-Mellin Descriptors** and Moment Based Features for Invariant ...

www.visionbib.com/bibliography/match-pl526.html - 67k - [Cached](#) - [Similar pages](#)

Keith Price Bibliography Image Registration -- The Match Technique ...

A New Class of **Similarity** Measures for Robust Image Registration, ... Symmetrical Phase-Only Matched Filtering of **Fourier-Mellin** Transforms for Image ...

www.visionbib.com/bibliography/match-pl493.html - 110k - [Cached](#) - [Similar pages](#)

Symmetric Phase-Only Matched Filtering of **Fourier-Mellin** ...

The approach consists of two steps: the calculation of a **Fourier-Mellin** invariant (FMI) **descriptor** for each image to be matched, and the matching of the FMI ...

portal.acm.org/citation.cfm?id=199438.199439 - [Similar pages](#)

[PDF] Invariant content-based image retrieval using a complete set of ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

set of **Fourier-Mellin descriptors** for object storage and retrieval. **similarity** transformation invariance for our **descriptor** set ...

www.fresnel.fr/perso/derrode/publi/lcmcs99.pdf - [Similar pages](#)

[PDF] Robust and efficient **Fourier-Mellin** transform approximations for ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

7 with the F-Afmt algorithm. 5.1. Standard **Fourier-Mellin descriptors**. Since the usual FMTs of two **similar** objects only differ by a phase factor, a ...

www.fresnel.fr/perso/derrode/publi/Cviu01.pdf - [Similar pages](#)

Symmetric Phase-Only Matched Filtering of **Fourier-Mellin** ...

similar to that of the phase-only matched filtering when dealing **Fourier-Mellin** invariant

descriptor is defined in Section III. ...

doi.ieeecomputersociety.org/10.1109/34.387491 - [Similar pages](#)

An Application of **Fourier-Mellin** Transform in Image Registration

Laplace transform defined under the planar **similarity** group. in the group theory and harmonic ... istration based on **Fourier-Mellin descriptor** for computing ...

doi.ieeecomputersociety.org/10.1109/CIT.2005.62 - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

Fourier Mellin or Fourier Mellin and d

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)